Experies Screw Anchors

TAKE THE JOB TO THE NEXT OF A CONTRACT OF A

NEW!




UNDERHEAD RIBS Resist head snaps

and spinouts.

STAR RECESS Eliminate bit slip. THE ORIGINAL, TRUE BLUE SCREW.

THE NEW TAPCON® SCREW ANCHOR IS MORE RELIABLE THAN EVER, MINIMIZES REWORK AND HELPS YOU GET THE JOB DONE FASTER

No matter the substrate, tool or your experience level, Tapcon installs right the first time, every time. Experience superior performance, installation success and increased confidence with the new Tapcon Star Drive and slotted hex washer head with underhead ribs.



NO. 1 CHOICE OF PROFESSIONALS

Identify a genuine Tapcon, (star only)

Tapcon is the No. 1 recognized screw anchor brand in the industry. The blue, corrosion-resistant coating enables the screw anchors to withstand the harshest conditions. And their unmatched performance in concrete, block and brick applications make them an excellent alternative to expansion anchors, plugs and lag shields. When professionals look for quality, strength and ease of installation, their No. 1 choice is Tapcon.



COMMON APPLICATIONS

- Electrical equipment
- Furring strips
- o 2x4 lumber
- o Drywall track
- Wood frames/sill plates
- HVAC/ductwork
- Concrete forms

Features	Benefits						
Star recess	Increase productivity with fewer cam outs						
Underhead ribs	Resist spinoutsResist head snaps						
Advanced Threadform Technology	Lower installation torque Less fatigue						
Long-life Climaseal [™] coating	 720 hours corrosion resistance Long-lasting quality 						

Installation Tool & Accessories

Part Number	Description	Diameter	Length
3103910	CONDRIVE INSTALLATION TOOL KIT Kit includes: Drill Adapter, Sleeve, 3/16" Socket, 1/4" Socket, Phillips Bits, Star Bits	-	-
3096910	TAPCON DRILL BIT 10/TUBE	5/32"	4-1/2"
3097910	TAPCON DRILL BIT 10/TUBE	5/32"	5-1/2"
3098910	TAPCON DRILL BIT 10/TUBE	3/16"	3-1/2"
3099910	TAPCON DRILL BIT 10/TUBE	3/16"	4-1/2"
3100910	TAPCON DRILL BIT 10/TUBE	3/16"	5-1/2"
3311910	SDS TAPCON DRILL BIT 1/TUBE	5/32"	7"
7901060	SDS TAPCON BIT 1/TUBE	3/16"	5"
3517910	T-25 STAR DRIVE FOR 3/16" DIAMETER TAPCON 2/PACK	-	-
3518910	T-30 STAR DRIVE FOR 1/4" DIAMETER TAPCON 2/PACK	-	-
the second		the second	Concernance of the second s

The Condrive Kit makes for fast and easy change over from drill bit to driver and controls the driving torque to prevent thread stripping and head snapping in hard base materials.



SMALL DIAMETER TAPCON OFFERING

Part Number	Diameter	Length	Description	Drill Bit Dia.	Head Style	Inner Box Qty	Outer Box Qt
Next Gen Tap	con - Carbon						
3152400	1/4"	1-1/4"	HWH TAPCON BLUE CL	3/16"	HWH w/ underhead ribs	N/A	4000
3153407	1/4"	1-1/4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3154400	1/4"	1-3/4"	HWH TAPCON BLUE CL	3/16"	HWH w/ underhead ribs	N/A	2500
3155407	1/4"	1-3/4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3406100	1/4"	1-3/4"	HWH TAPCON WHITE ULSD	3/16"	HWH w/ underhead ribs	N/A	2500
3157407	1/4"	2-1/4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3156400	1/4"	2-1/4"	HWH TAPCON BLUE CL	3/16"	HWH w/ underhead ribs	N/A	2000
3159407	1/4"	2-3/4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3158400	1/4"	2-3/4"	HWH TAPCON BLUE CL	3/16"	HWH w/ underhead ribs	N/A	1500
3161407	1/4"	3-1/4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3160400	1/4"	3-1/4"	HWH TAPCON BLUE CL	3/16"	HWH w/ underhead ribs	N/A	1000
3163407	1/4"	3-3/4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3139407	3/16"	1-1/4"	HWH TAPCON BLUE CL W/BIT	5/32"	HWH w/ underhead ribs	100	500
3138400	3/16"	1-1/4"	HWH TAPCON BLUE CL	5/32"	HWH w/ underhead ribs	N/A	5000
	3/16"	1-1/4	HWH TAPCON BLUE CL W/BIT	5/32"		100	500
3141407					HWH w/ underhead ribs		
3143407	3/16"	2-1/4"	HWH TAPCON BLUE CL W/BIT	5/32"	HWH w/ underhead ribs	100	500
3145407	3/16"	2-3/4"	HWH TAPCON BLUE CL W/BIT	5/32"	HWH w/ underhead ribs	100	500
3147407	3/16"	3-1/4"	HWH TAPCON BLUE CL W/BIT	5/32"	HWH w/ underhead ribs	100	500
3165407	1/4"	4"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3166400	1/4"	5"	HWH TAPCON BLUE CL	3/16"	HWH w/ underhead ribs	N/A	500
3167407	1/4"	5"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	100	500
3205407	1/4"	6"	HWH TAPCON BLUE CL W/BIT	3/16"	HWH w/ underhead ribs	N/A	100
3183407V2	1/4"	1-1/4"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3185407V2	1/4"	1-3/4"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3186400V2	1/4"	2-1/4"	SFH TAPCON BLUE CL	3/16"	SFH	N/A	2000
3187407V2	1/4"	2-1/4"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3189407V2	1/4"	2-3/4"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3188400V2	1/4"	2-3/4"	SFH TAPCON BLUE CL	3/16"	SFH	N/A	1500
3191407V2	1/4"	3-1/4"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3193407V2	1/4"	3-3/4"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3195407V2	1/4"	4"		3/16"	SFH	100	500
			SFH TAPCON BLUE CL W/BIT				
3197407V2	1/4"	5"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	500
3203407V2	1/4"	6"	SFH TAPCON BLUE CL W/BIT	3/16"	SFH	100	100
3169407V2	3/16"	1-1/4"	SFH TAPCON BLUE CL W/BIT	5/32"	SFH	100	500
3171407V2	3/16"	1-3/4"	SFH TAPCON BLUE CL W/BIT	5/32"	SFH	100	500
3173407V2	3/16"	2-1/4"	SFH TAPCON BLUE CL W/BIT	5/32"	SFH	100	500
3175407V2	3/16"	2-3/4"	SFH TAPCON BLUE CL W/BIT	5/32"	SFH	100	500
3404100V2	3/16"	2-3/4"	SFH TAPCON WHITE ULSD	5/32"	SFH	N/A	2000
3177407V2	3/16"	2-3/4"	SFH TAPCON BLUE CL W/BIT	5/32"	SFH	100	500
ainless Steel Tap	con						
3367907	1/4"	1-1/4"	HWH 410SS TAPCON CL W/BIT	3/16"	HWH	100	500
3373907	1/4"	1-1/4"	PFH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
and the second se		-	the second second second second in the second se	the second se			the local data and the local data and the
3368907	1/4"	1-3/4"	HWH 410SS TAPCON CL W/BIT	3/16"	HWH	100	500
3374907	1/4"	1-3/4"	PFH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
3369907	1/4"	2-1/4"	HWH 410SS TAPCON CL W/BIT	3/16"	HWH	100	500
3375907	1/4"	2-1/4"	PFH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
3370907	1/4"	2-3/4	HWH 410SS TAPCON CL W/BIT	3/16"	HWH	100	500
3376907	1/4"	2-3/4"	PFH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
the second se			and the first of a second to be a second				
3371907	1/4"	3-1/4"	HWH 410SS TAPCON CL W/BIT	3/16"	HWH	100	500
3377907	1/4"	3-1/4"	PFH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
3372907	1/4"	3-3/4"	HWH 410SS TAPCON CL W/BIT	3/16"	HWH	100	500
3378907	1/4"	3-3/4"	PFH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
3460907	1/4"	5"	HWH 410SS TAPCON CL W/BIT	3/16"	PFH	100	500
and the second se	and the second	and the second second second		5/32"	C THE LOCAL PROPERTY AND ADDRESS OF THE CASE		
3418907	3/16"	1-3/4"	PFH 410SS TAPCON CL W/BIT	and the second	PFH	100	500
3419907	3/16"	2-1/4"	PFH 410SS TAPCON CL W/BIT	5/32"	PFH	100	500
3420907	3/16"	2-3/4"	PFH 410SS TAPCON CL W/BIT	5/32"	PFH	100	500
Maxi-Set Tap	con						
e large diameter fland	e on Maxi-Set Tan	con screws provid	des more surface area coverage for reduced crack	king and maximum secu	urity.		
						N1/A	1000
3294000	1/4"	1-3/4"	MAXI-SET TAPCON SILVER ULSD	3/16"	Maxi-Set	N/A	1000
3383100	1/4"	1-3/4"	MAXI-SET TAPCON WHITE ULSD	3/16"	Maxi-Set	N/A	1000
3384100	1/4"	2-1/4"	MAXI-SET TAPCON WHITE ULSD	3/16"	Maxi-Set	N/A	1000
3409100	1/4"	3-1/4"	MAXI-SET TAPCON WHITE ULSD	3/16"	Maxi-Set	N/A	750
Scots Tapcon							
		a ala an Alice I an an Art					
			nes the corrosion protection of stainless steel with	•			
3358407	3/16"	1-3/4"	SCOTS TAPCON SILVER CL W/BIT	5/32"	SCOTS	100	500
Tapcon XL							
alivering over 0.000	undo of held		the XL family of screw anchors lives up to its clain				

For more information or to order www.itwredhead.com

©2022 Illinois Tool Works, Inc. ITWCCNA - 697 rev. 0722