SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA HCS 2024 and Canada Hazardous Products Act (HPA) and
Hazardous Products Regulation (HPR), as amended

Issuing Date 18-Apr-2025 **Revision date** 18-Apr-2025 **Revision Number** 1

1. Identification

Product identifier

Product Name A7+ Hardener

Other means of identification

Product Code(s) A7P-10; A7P-28

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Chemical fixing

Restrictions on use Use as intended for concrete anchoring applications

Details of the supplier of the safety data sheet

Supplier Address
ITW Commercial Construction North America
155 Harlem Avenue
Glenview, IL 60025

Initial supplier identifier
ITW Construction Products Canada
120 Travail Road
Markham, Ontario
L3S 3J1

E-mail techsupport@itwccna.com

Emergency telephone number

Company Phone Number US: 1-800-848-5611
CA: 1-800-387-9692

Emergency telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

Label elements

Warning

Hazard statements
Causes serious eye irritation.
May cause an allergic skin reaction.

Precautionary Statements - Prevention
Wash face, hands and any exposed skin thoroughly after handling.
Avoid breathing dust, fume, gas, mist, vapors and spray.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, eye protection and face protection.
Precautionary Statements - Response

Eyes
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice and attention.
Skin
IF ON SKIN: Wash with plenty of water and soap.
If skin irritation or rash occurs: Get medical advice and attention.
Wash contaminated clothing before reuse.
Precautionary Statements - Disposal
Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200
No information available.

Other information
May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Glycerol	56-81-5	10 - 50	-	-
Ethylene glycol	107-21-1	10 - 30	-	-
Benzoyl peroxide	94-36-0	10 - 20	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at temperatures between 5 and 30 °C (41 and 86 °F).

8. Exposure controls/personal protection

Control Parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Glycerol 56-81-5	-	TWA: 15 mg/m^3 mist, total particulate TWA: 5 mg/m^3 mist, respirable fraction (vacated) TWA: 10 mg/m^3 mist, total particulate (vacated) TWA: 5 mg/m^3 mist, respirable fraction	-
Ethylene glycol 107-21-1	TWA: 25 ppm vapor fraction STEL: 50 ppm vapor fraction STEL: 10 mg/m^3 inhalable particulate matter, aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m^3	-
Benzoyl peroxide 94-36-0	TWA: 5 mg/m^3	TWA: 5 mg/m^3 (vacated) TWA: 5 mg/m^3	TWA: 5 mg/m^3; IDLH: 1500 mg/m^3

Chemical name	Alberta	British Columbia	Ontario	Quebec
Glycerol 56-81-5	TWA: 10 mg/m^3;	TWA: 10 mg/m^3; TWA: 3 mg/m^3; respirable	-	TWAEV: 10 mg/m^3; mist
Ethylene glycol 107-21-1	Ceiling: 100 mg/m^3;	TWA: 10 mg/m^3; total; aerosol only STEL: 20 mg/m^3; total; aerosol only Ceiling: 100 mg/m^3; total; aerosol only Ceiling: 50 ppm; vapour	TWA: 25 ppm; vapor fraction STEL: 50 ppm; vapor fraction STEL: 10 mg/m^3; inhalable particulate matter, aerosol only	Ceiling: 50 ppm; mist and vapour Ceiling: 127 mg/m^3; mist and vapour
Benzoyl peroxide 94-36-0	TWA: 5 mg/m^3;	TWA: 5 mg/m^3;	TWA: 5 mg/m^3;	TWAEV: 5 mg/m^3;

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Ethylene glycol	TWA: 25 ppm; vapor fraction STEL: 50 ppm; vapor fraction STEL: 10 mg/m^3; inhalable particulate matter, aerosol only	Ceiling: 100 mg/m^3; aerosol only	TWA: 25 ppm; vapor fraction STEL: 50 ppm; vapor fraction STEL: 10 mg/m^3; inhalable particulate matter, aerosol only	TWA: 25 ppm; vapor fraction STEL: 50 ppm; vapor fraction STEL: 10 mg/m^3; inhalable particulate matter, aerosol only
Benzoyl peroxide	TWA: 5 mg/m^3;	TWA: 5 mg/m^3;	TWA: 5 mg/m^3;	TWA: 5 mg/m^3;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Glycerol	TWA: 10 mg/m^3; STEL: 20 mg/m^3;		TWA: 10 mg/m^3; mist STEL: 20 mg/m^3; mist	TWA: 30 mppcf; mist TWA: 10 mg/m^3; mist
Ethylene glycol	Ceiling: 100 mg/m^3; aerosol	TWA: 25 ppm; vapor fraction STEL: 50 ppm; vapor fraction STEL: 10 mg/m^3; inhalable particulate matter, aerosol only	Ceiling: 100 mg/m^3; aerosol	TWA: 10 mg/m^3; particulate TWA: 100 ppm; vapour TWA: 250 mg/m^3; vapour STEL: 10 ppm; particulate STEL: 20 mg/m^3; particulate STEL: 125 ppm; vapour STEL: 325 mg/m^3; vapour
Benzoyl peroxide	TWA: 5 mg/m^3; STEL: 10 mg/m^3;	TWA: 5 mg/m^3;	TWA: 5 mg/m^3; STEL: 10 mg/m^3;	TWA: 5 mg/m^3; STEL: 5 mg/m^3;

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Paste
Physical state Liquid
Color No information available
Odor (includes odor threshold) No information available

Property	Values	Remarks • Method

Melting point / freezing point		No data available
Boiling point (or initial boiling point or boiling range)		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Solubility		No data available
Water solubility		No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapor pressure (includes evaporation rate)		No data available
Evaporation rate		No data available
Density and/or relative density	> 1	
Bulk density		No data available
Liquid Density		No data available
Relative vapor density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

Other information

Molecular weight	No information available
VOC content	2.9%, as applied 0.4 lb/gal, as applied
Softening point	No information available

Information with regard to physical hazard classes

Explosives	
Explosive properties	No information available
Oxidizing properties	No information available

10. Stability and reactivity

Reactivity	This material contains an organic peroxide. Heating may cause hazardous decomposition. Hazardous decomposition products from peroxides are flammable and can be explosive under confinement.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight. Incompatible materials.
Incompatible materials	Reducing agents, Sulfur compounds, Heavy metals, Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products Peroxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. Specific test data for the substance or mixture is not available.

Eye contact Causes serious eye irritation (based on components). May cause redness, itching, and pain. Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact (based on components). May cause irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Prolonged contact may cause redness and irritation. Specific test data for the substance or mixture is not available.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity
Based on available data, the classification criteria are not met

The following ATE values have been calculated for the mixture:

ATEmix (oral)	2,500.00 mg/kg
ATEmix (inhalation-dust/mist)	15.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Glycerol	= 27200 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 5.85 mg/L (Rat) 4 h
Ethylene glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat) 6 h
Benzoyl peroxide	= 7710 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation Causes serious eye irritation. Classification based on data available for ingredients.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethylene glycol 107-21-1	A4 - Not Classifiable as a Human Carcinogen	-	-	-
Benzoyl peroxide 94-36-0	A4 - Not Classifiable as a Human Carcinogen	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Unclassifiable as to carcinogenicity in humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Glycerol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-
Ethylene glycol 107-21-1	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mL/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h, Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata)	-	EC50: =46300mg/L (48h, Daphnia magna)
Benzoyl peroxide 94-36-0	-	LC50: =0.0602mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient

Glycerol 56-81-5	-1.75
Ethylene glycol 107-21-1	-1.36
Benzoyl peroxide 94-36-0	3.2

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Do not reuse empty containers.

California waste information This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

Note: This material meets the UN/IMDG criteria as a marine pollutant. Although not required, this may also be classified as a marine pollutant in the US.

DOT

UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Special Provisions	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
DOT Marine Pollutant	I
Marine pollutant	Benzoyl peroxide
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Benzoyl peroxide), 9, III

TDG

UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Marine pollutant	Benzoyl peroxide.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Benzoyl peroxide), 9, III

IATA

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
IATA Technical Name	Benzoyl peroxide
Transport hazard class(es)	9
Packing group	III
Environmental hazards	Yes
Special Provisions	A97, A158, A197, A215

ERG Code	9L
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Benzoyl peroxide), 9, III

IMDG

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Benzoyl peroxide
Transport hazard class(es)	9
Packing group	III
Marine pollutant indicator	P
Marine pollutant name	Benzoyl peroxide
Special Provisions	274, 335, 969
EmS-No.	F-A S-F
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Benzoyl peroxide), 9, III, Marine pollutant

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Benzoyl peroxide - 94-36-0	1.0
Ethylene glycol - 107-21-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

Chemical name	Hazardous air pollutants (HAPs)	Ozone-depleting substances (ODS)
Ethylene glycol 107-21-1	Present	-

CERCLA
This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ethylene glycol 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65
This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Ethylene glycol - 107-21-1	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Glycerol 56-81-5	X	X	X
Benzoyl peroxide 94-36-0	X	X	X
Ethylene glycol 107-21-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	**Health hazards** 2	**Flammability** 0	**Instability** 2	**Special hazards** -
HMIS	**Health hazards** 2	**Flammability** 0	**Physical hazards** 2	**Personal protection** B

Key or legend to abbreviations and acronyms used in the safety data sheet
Legend

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule

ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer

poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
U.S. Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Issuing Date 18-Apr-2025

Revision date 18-Apr-2025

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet